



**GERKO**

PAINT RELATED PRODUCTS



**PRODUCT  
CATALOGUE [ENG]**

[www.gerkoproducts.com](http://www.gerkoproducts.com)



Gerko HQ

Gerko International is a fast growing company with Belgian roots specialized in the development and distribution of high-quality paint related products for the professional bodyshop market.

Our brand stands for quality and innovation that makes customers trust us. Putting the customer first and making the repair process as efficient as possible is our first priority. As a company, we want to further expand our network in the future through partnerships based on strong customer relationships. In addition to continuously introduce new products and solutions, we naturally check whether our current offer still meets the wishes of our customers in order to support them as much as possible.

Gerko International can also call on a network of fixed and reliable logistics partners for the smooth delivery of its distributors or importers all over the world.



Our catalogue is also available online at [www.gerkoproducts.com](http://www.gerkoproducts.com).



Want to receive our latest news and offers?  
Follow us via our newsletter or social media.



# INDEX

## 1 MASKING

- 4 Masking film
- 7 Magnetic foilcutter
- 8 Masking paper
- 9 Silicone paper
- 10 Masking tape
- 14 Foam tape
- 15 Lifting tape

## 4 GLUES AND ADHESIVES

- 42 Plastic repair
- 43 MMA
- 43 Panel bonding adhesive
- 44 Brushable seam sealer
- 44 Seam sealer MS polymer
- 45 Screenbond MS polymer
- 46 Ridged eraser pad
- 46 2-component adhesives gun
- 46 Mixer tips

## 2 SANDING

- 18 Foam sanding discs
- 18 Double side sanding sponge
- 19 Sanding disc gold & green
- 20 Sanding strips
- 21 Wet & dry sanding sheets
- 21 Soft flex abrasive
- 22 Triflex foam sanding discs
- 22 Control powder
- 22 Scuff roll
- 23 Sanding pad
- 23 Soft interface pad
- 25 Sanding machines

## 5 PUTTIES

- 51 Multiformer putty
- 51 Easygo putty
- 52 Uniflex putty
- 52 Polycream putty
- 53 Faser putty
- 53 Spray putty
- 54 UV putty
- 54 Accessories

## 3 PAINT PREPARATION

- 28 Mixing cups
- 28 Lids for mixing cups
- 29 Mixing cup dispenserset
- 30 Spray guns
- 32 Accessories for spray guns
- 34 Degreasing cloths
- 34 Pressure sprayer /  
Assortment coding caps
- 35 Degreasers
- 36 Nylon paint strainers
- 37 Touch up bottles
- 38 Tack rags
- 38 Mixing paddles

# INDEX

## 6 PAINTING

- 58 UV primer filler
- 58 UV thinner
- 58 2K HS primer filler GP400
- 59 Acrylic thinner
- 59 Clear coat HS GC400
- 60 Paint system
- 62 Adapters for paint system
- 63 Dispensers for paint system
- 64 Primer
- 66 High gloss black
- 66 Semi gloss black
- 66 Matt black
- 67 Clear coat 1K
- 67 Wheel spray
- 68 Prefill solvent
- 69 Anti-gravel

## 7 CLEANING & POLISHING

- 72 Cleaning paper
- 72 Cleaning cloths
- 72 Polishing cloths
- 73 Thinner
- 73 H2O gun shampoo
- 74 Headlamp restoration kit + refill
- 75 Dust needle set + refill
- 75 Paint touch-up sticks
- 76 Foam pads
- 77 Electric polishing machines
- 77 Polishing pad
- 78 Polishing pastes - foam pads

## 9 PERSONAL PROTECTION

- 86 Overalls
- 88 Dust masks
- 90 Nitrile gloves
- 91 Hand cleaners
- 91 Dispenser

## 8 SPRAY BOOTH

- 82 Dust control
- 82 Cabine coating pro
- 83 X-trestle
- 83 Butterfly trestle
- 83 Portal rotating panel stand

## 10 PROMOTIONAL ITEMS



# MAASKIIN

# MASKING

- 4 Masking film
- 7 Magnetic foilcutter
- 8 Masking paper
- 9 Silicone paper
- 10 Masking tape
- 14 Foam tape
- 15 Lifting tape

# Masking film



CODE	DESCRIPTION	WIDTH X LENGTH	THICK- NESS	PAINT ADHESIVE	MOISTURE ABSORBING	STATIC POWER	COLOUR	PAGE
PM4015	Masking film	4 m x 150 m	10 µm	✓	-	✓	Transparent	5
PM40	Masking film	4 m x 300 m	10 µm	✓	-	✓	Transparent	5
PM48	Masking film	4,8 m x 300 m	10 µm	✓	-	✓	Transparent	5
PM50	Masking film	5 m x 120 m	10 µm	✓	-	✓	Transparent	5
PM60	Masking film	6 m x 100 m	10 µm	✓	-	✓	Transparent	5
SPM50	Superior masking film moisture absorption	5 m x 120 m	15 µm	✓	✓	✓	Blue	6
SPM40	Superior masking film moisture absorption	4 m x 150 m	15 µm	✓	✓	✓	Blue	6
MFT35	Masking film with integrated tape	35 cm x 25 m	8 µm	✓	-	✓	Transparent	7
MFT60	Masking film with integrated tape	60 cm x 25 m	8 µm	✓	-	✓	Transparent	7
MFT90	Masking film with integrated tape	90 cm x 25 m	8 µm	✓	-	✓	Transparent	7
MFT120	Masking film with integrated tape	120 cm x 25 m	8 µm	✓	-	✓	Transparent	7
MFT180	Masking film with integrated tape	180 cm x 25 m	8 µm	✓	-	✓	Transparent	7
MFT260	Masking film with integrated tape	260 cm x 25 m	8 µm	✓	-	✓	Transparent	7

## Masking film

PM4015 4 x 150 m	PM40 4 x 300 m	PM48 4,8 x 300 m	PM50 5 x 120 m	PM60 6 x 100 m
---------------------	-------------------	---------------------	-------------------	-------------------

- Translucent HDPE masking film to protect from overspray, dirt and dust
- Corona treated with Gerko logo on the paintable side
- Easy to use by one person
- Strong and elastic performance
- Easy to cut
- Static properties, clings to the object surface
- Per roll in a carton box
- Can be used with infrared drying
- Thickness: 10 microns







## Superior masking film moisture absorption

SPM50  
5 x 120 m

SPM40  
4 x 150 m

- Corona treated for optimal adhesion of paint and overspray
- Special addition that ensures moisture absorption, in addition to the breathable functionality
- Foil thickness: 15 microns
- Easy to apply by one person
- Strong and elastic performance
- Easy to cut
- Statically charged, causing the film to be attracted to the surface
- Packed per roll in a carton box
- Can be used with infrared drying
- Temperature resistant up to 120°C
- Gerko logo on spray side





## Masking film with integrated tape

MFT35 35 cm x 25 m	MFT60 60 cm x 25 m	MFT90 90 cm x 25 m	MFT120 120 cm x 25 m
MFT180 180 cm x 25 m	MFT260 260 cm x 25 m		

- Transparent masking film with paint absorption and tape on one side
- Can be easily torn by hand
- Sticks to the surface by itself due to the static properties



## Magnetic foil cutter

MFC10

- Simple and safe cutting
- Suitable for masking film and masking paper
- Easy storage thanks to the magnetic back



# Masking paper



CODE	DESCRIPTION	WIDTH x LENGTH	WEIGHT	MOISTURE ABSORBING	WATERPROOF	PAGE
MP020	Masking paper	20 cm x 300 m	50 gr.	✓	-	9
MP030	Masking paper	30 cm x 300 m	50 gr.	✓	-	9
MP040	Masking paper	40 cm x 300 m	50 gr.	✓	-	9
MP050	Masking paper	50 cm x 300 m	50 gr.	✓	-	9
MP060	Masking paper	60 cm x 300 m	50 gr.	✓	-	9
MP090	Masking paper	90 cm x 300 m	50 gr.	✓	-	9
MP100	Masking paper	100 cm x 300 m	50 gr.	✓	-	9
MP120	Masking paper	120 cm x 300 m	50 gr.	✓	-	9
MP150	Masking paper	150 cm x 300 m	50 gr.	✓	-	9
SP020	Silicone paper	20 cm x 240 m	58 gr.	-	✓	9
SP030	Silicone paper	30 cm x 240 m	58 gr.	-	✓	9
SP040	Silicone paper	40 cm x 240 m	58 gr.	-	✓	9
SP050	Silicone paper	50 cm x 240 m	58 gr.	-	✓	9
SP060	Silicone paper	60 cm x 240 m	58 gr.	-	✓	9
SP090	Silicone paper	90 cm x 240 m	58 gr.	-	✓	9
SP100	Silicone paper	100 cm x 240 m	58 gr.	-	✓	9
SP120	Silicone paper	120 cm x 240 m	58 gr.	-	✓	9
SP150	Silicone paper	150 cm x 240 m	58 gr.	-	✓	9

## Masking paper

MP020 20 cm x 300 m	MP030 30 cm x 300 m	MP040 40 cm x 300 m	MP050 50 cm x 300 m
------------------------	------------------------	------------------------	------------------------

MP060 60 cm x 300 m	MP090 90 cm x 300 m	MP100 100 cm x 300 m	MP120 120 cm x 300 m
------------------------	------------------------	-------------------------	-------------------------

MP150 150 cm x 300 m
-------------------------

- 50 gr./m<sup>2</sup> recycled brown paper
- Extremely suitable for masking cars, parts, etc.
- Dust-free
- Good absorption properties
- The lacquer does not penetrate the masking paper under normal conditions
- Available in different sizes



## Silicone paper

SP020 20 cm x 240 m	SP030 30 cm x 240 m	SP040 40 cm x 240 m	SP050 50 cm x 240 m
------------------------	------------------------	------------------------	------------------------

SP060 60 cm x 240 m	SP090 90 cm x 240 m	SP100 100 cm x 240 m	SP120 120 cm x 240 m
------------------------	------------------------	-------------------------	-------------------------

SP150 150 cm x 240 m
-------------------------

- 58 gr./m<sup>2</sup> paper
- Extremely suitable for masking cars, parts, etc.
- One side is glossy, making this paper waterproof
- Dust-free
- Available in different sizes



# Masking tape



CODE	DESCRIPTION	WIDTH x LENGTH	TEMPERATURE RESISTANCE 30 min.	THICKNESS	TENSILE STRENGTH N/25 mm	ELONGATION %	PEEL ADHESION N/25 mm	COLOUR	PAGE
SMT18	Superior masking tape	18 mm x 50 m	100°C	125 µm	95	9	5	Yellow	11
SMT24		24 mm x 50 m	100°C	125 µm	95	9	5	Yellow	11
SMT30		30 mm x 50 m	100°C	125 µm	95	9	5	Yellow	11
SMT36		36 mm x 50 m	100°C	125 µm	95	9	5	Yellow	11
SMT48		48 mm x 50 m	100°C	125 µm	95	9	5	Yellow	11
AMT19	Aqua masking tape	19 mm x 50 m	120°C	135 µm	110	10	5	Green	12
AMT24		24 mm x 50 m	120°C	135 µm	110	10	5	Green	12
AMT30		30 mm x 50 m	120°C	135 µm	110	10	5	Green	12
AMT38		38 mm x 50 m	120°C	135 µm	110	10	5	Green	12
AMT50		50 mm x 50 m	120°C	135 µm	110	10	5	Green	12
MTG19	Masking tape yellow	19 mm x 50 m	120°C	135 µm	85	9	4,5	Yellow	12
MTG38		38 mm x 50 m	120°C	135 µm	85	9	4,5	Yellow	12
MTG50		50 mm x 50 m	120°C	135 µm	85	9	4,5	Yellow	12
WTG19	Washi tape gold	19 mm x 50 m	120°C	90 µm	75	3	4	Gold	13
WTG25		25 mm x 50 m	120°C	90 µm	75	3	4	Gold	13
WTG38		38 mm x 50 m	120°C	90 µm	75	3	4	Gold	13
WTG50		50 mm x 50 m	120°C	90 µm	75	3	4	Gold	13
FLT03	Fine line tape	3 mm x 55 m	140°C	150 µm	210	100	4,5	Green	13
FLT06		6 mm x 55 m	140°C	150 µm	210	100	4,5	Green	13
FLT09		9 mm x 55 m	140°C	150 µm	210	100	4,5	Green	13
FLT12		12 mm x 55 m	140°C	150 µm	210	100	4,5	Green	13
CTG50	Duct tape	50 mm x 50 m	60°C	300 µm	44	9	18	Grey	14
CTZ50		50 mm x 50 m	60°C	300 µm	44	9	18	Black	14

## Superior masking tape

SMT18 18 mm x 50 m	SMT24 24 mm x 50 m	SMT30 30 mm x 50 m	SMT36 36 mm x 50 m
-----------------------	-----------------------	-----------------------	-----------------------

SMT48  
48 mm x 50 m

- Ideal for spraying with high quality oven use
- Clean edges for precise and easy application
- Excellent tape on tape application
- Suitable for both metal and plastic surfaces
- Different surface options to meet special requirements
- Easy to remove without leaving glue residue
- Temperature resistance: 30 min at 100°C, 60 min at 80°C
- Adhesion to steel: 5 N/25 mm
- Total thickness: 125 microns
- Resistant to solvents
- Suitable for waterbased and solventbased paints
- Easy to tear
- Excellent formability
- Suitable for IR and UV drying





## Aqua masking tape

AMT19 19 mm x 50 m	AMT24 24 mm x 50 m	AMT30 30 mm x 50 m	AMT38 38 mm x 50 m
-----------------------	-----------------------	-----------------------	-----------------------

AMT50  
50 mm x 50 m

- Suitable for waterbased paints
- Excellent adhesion to rubber and metal
- Easily removable and leaves no adhesive residue
- Paper: impregnated green crepe paper
- Thickness: 135 microns
- Temperature resistance: 30 min at 120°C
- Adhesion to steel: 5 N/25 mm
- Excellent tape on tape adhesion
- Sharp and clean edge for precise sticking and easy application
- Solvent and water resistant
- Suited for IR and UV drying



## Masking tape yellow

MTG19 19 mm x 50 m	MTG38 38 mm x 50 m	MTG50 50 mm x 50 m
-----------------------	-----------------------	-----------------------

- Masking tape with even higher temperature resistance
- Easy application
- Sharp clean edge for perfect application
- Temperature resistance: 15 min at 120°C, 60 min at 100°C
- Leaves no residue





## Washi tape gold

WTG19 19 mm x 50 m	WTG25 25 mm x 50 m	WTG38 38 mm x 50 m	WTG50 50 mm x 50 m
-----------------------	-----------------------	-----------------------	-----------------------


- Suitable for waterbased and solventbased paints
- Very good adhesion to all surfaces, including all plastics and rubbers
- Flexible and can therefore be applied in soft curves so that no fine line tape has to be used
- Presents perfect wet removability at 15, 30 and 60 minutes after application of paint on walls
- Very good oven resistance and does not change colour or leave adhesive residue
- Gives excellent paint break line
- Also extremely suitable for painters and plasterers
- Is also sometimes called rice paper or fine line tape
- Temperature resistance: 60 min at 120°C
- Adhesion to steel: 5 N/25 mm
- Thickness:  $\leq 90$  microns
- Solvent and water resistant
- UV-resistant



## Fine line tape

FLT03 3 mm x 55 m	FLT06 6 mm x 55 m	FLT09 9 mm x 55 m	FLT12 12 mm x 55 m
----------------------	----------------------	----------------------	-----------------------

- Specially developed for tight masking when spraying multiple colours, lettering or custom painting
- Extremely smooth and flexible
- Suitable for different surfaces
- Leaves no adhesive residue
- Temperature resistant up to 140°C





## Duct tape

CTZ50  
50 mm x 50 m

CTG50  
50 mm x 50 m

- Excellent adhesion properties at low & high temperatures
- Good performance on rough surface
- Excellent tearing & unwinding
- Clean removal for long period
- Silicone-free
- Easy to tear off in both length and width
- Can be applied to plastic parts, spoilers, bumper strips, mirrors, but also sheet metal



## Foam masking tape

FT13  
13 mm x 50 m

FT19  
19 mm x 35 m

- To use for masking gaps between bonnets, doors and car body parts
- It protects the joint perfectly, absorbs the paint and avoids edge building
- The foam allows an easy cutting to desired length and size and ensures a proper isolation
- The adhesive ensures a successful use without leaving any residue once used



## T-foam tape

TFT25  
25 m

- Easy placement
- Perfect edge finish
- No glue residue
- Flexible and easy to shape around contours
- Unwinds easily from the roll for fast application
- Solvent resistant
- No bleed through
- Eliminates paint build up and hard edges



## Lifting tape

LT10  
10 mm x 10 m

- Makes masking corners easier
- Prevents spraying onto rubbers
- Pre-cut every 46 mm for easy application
- Leaves no residue once finished the application
- Always tear from the plastic side to the tape side



## Lifting tape multi

LT20  
9+11 mm x 10 m

- Makes masking corners easier
- Prevents spraying onto rubbers
- Pre-cut every 42 mm for easy application
- Leaves no residue once finished the application
- The combination of 2 plastic strips makes it possible to use one tape for different applications
- Always tear from the plastic side to the tape side







# SANDING

- 18 Foam sanding discs
- 18 Double side sanding sponge
- 19 Sanding disc gold & green
- 20 Sanding strips
- 21 Wet & dry sanding sheets
- 21 Soft flex abrasive
- 22 Triflex foam sanding discs
- 22 Control powder
- 22 Scuff roll
- 23 Sanding pad
- 23 Soft interface pad
- 25 Sanding machines



## Foam sanding discs



FD10 Brown / fine (P320 - P500)	FD20 Green / superfine (P600 - P1000)	FD30 Blue / microfine (P1000 - P1500)
---------------------------------------	---	---

- Saves money and reduces wastage
- 3 versions available, one version for each fine sanding job
- Uniform sanding pattern
- No clogging
- Ensures perfect finish for the next working step
- Ø150 mm
- Flexible foam discs which follows the substrate irregularities and body contours
- Can be used wet or dry, best results obtained when used dry
- Offers the maximum performance to the user
- Packed per 20 pcs.




## Double side sanding sponge



DSP10 Brown / fine (P320 - P500)	DSP20 Green / superfine (P600 - P1000)	DSP30 Blue / microfine (P1000 - P1500)
--	--	--


- Lasts 3x longer than conventional abrasive sponges
- 3 versions available, one version for each fine sanding job
- Uniform sanding pattern
- No clogging
- Ensures perfect finish for the next working step
- Pad size: 120 x 98 x 13 mm
- Flexible sponge pad which follows the substrate irregularities and body contours
- Can be used wet or dry, best results obtained when used dry
- Packed per 100 pcs.



## Sanding disc gold

SPY0040 (P40) 50 pcs.	SPY0060 (P60) 50 pcs.	SPY0080 (P80) 50 pcs.	SPY0120 (P120) 100 pcs.
SPY0150 (P150) 100 pcs.	SPY0180 (P180) 100 pcs.	SPY0220 (P220) 100 pcs.	SPY0240 (P240) 100 pcs.
SPY0280 (P280) 100 pcs.	SPY0320 (P320) 100 pcs.	SPY0400 (P400) 100 pcs.	SPY0500 (P500) 100 pcs.
SPY0600 (P600) 100 pcs.	SPY0800 (P800) 100 pcs.		


- Paper backing
- Double gluing of the grain
- Aluminium oxide abrasive grain
- Stearate coating prevents clogging of the sandpaper
- Semi-open coating
- Ø150 mm with 15 holes for good dust pick-up



## Sanding disc green

SPG0040 (P40) 50 pcs.	SPG0060 (P60) 50 pcs.	SPG0080 (P80) 100 pcs.	SPG0120 (P120) 100 pcs.
SPG0150 (P150) 100 pcs.	SPG0180 (P180) 100 pcs.	SPG0220 (P220) 100 pcs.	SPG0240 (P240) 100 pcs.
SPG0280 (P280) 100 pcs.	SPG0320 (P320) 100 pcs.	SPG0360 (P360) 100 pcs.	SPG0400 (P400) 100 pcs.
SPG0500 (P500) 100 pcs.	SPG0600 (P600) 100 pcs.	SPG0800 (P800) 100 pcs.	SPG1000 (P1000) 100 pcs.
SPG1200 (P1200) 100 pcs.	SPG1500 (P1500) 100 pcs.	SPG2000 (P2000) 100 pcs.	

- Film backing
- Aluminium oxide abrasive grain
- High cutting performance without clogging
- Longer lifespan through durability
- Stearate coating prevents clogging of the sandpaper
- Double gluing of the grain
- Perfect sanding surface
- Ø150 mm with 15 holes for good dust pick-up





## Sanding strips 70 x 198,8 mm

SSB060 (P60) 50 pcs.	SSB080 (P80) 100 pcs.
SSB120 (P120) 100 pcs.	SSB150 (P150) 100 pcs.
SSB180 (P180) 100 pcs.	SSB240 (P240) 100 pcs.
SSB320 (P320) 100 pcs.	SSB400 (P400) 100 pcs.

- PVC carrier
- Faster
- More sustainable



## Sanding strips 70 x 420 mm

SSD060 (P60) 50 pcs.	SSD080 (P80) 100 pcs.
SSD120 (P120) 100 pcs.	SSD150 (P150) 100 pcs.
SSD180 (P180) 100 pcs.	SSD240 (P240) 100 pcs.
SSD320 (P320) 100 pcs.	SSD400 (P400) 100 pcs.

- PVC carrier
- Faster
- More sustainable



## Sanding strips 115 x 230 mm

SSC060 (P60) 50 pcs.	SSC080 (P80) 100 pcs.
SSC120 (P120) 100 pcs.	SSC150 (P150) 100 pcs.
SSC180 (P180) 100 pcs.	SSC240 (P240) 100 pcs.
SSC320 (P320) 100 pcs.	SSC400 (P400) 100 pcs.

- PVC carrier
- Faster
- More sustainable



## Wet & dry sanding sheets

WDS0080 (P80) 50 pcs.	WDS0120 (P120) 50 pcs.	WDS0150 (P150) 50 pcs.	WDS0220 (P220) 50 pcs.
WDS0240 (P240) 50 pcs.	WDS0320 (P320) 50 pcs.	WDS0400 (P400) 50 pcs.	WDS0600 (P600) 50 pcs.
WDS0800 (P800) 50 pcs.	WDS1000 (P1000) 50 pcs.	WDS1200 (P1200) 50 pcs.	WDS1500 (P1500) 50 pcs.
WDS2000 (P2000) 50 pcs.	WDS2500 (P2500) 50 pcs.		

- 230 x 280 mm sanding sheets for wet or dry sanding of paintwork
- Silicon carbide abrasive grain
- Easily remove scratches from painted parts
- Optimal sanding quality
- Very smooth finish
- Can be used both dry and wet



## Soft flex abrasive

SR0150 (P150)	SR0240 (P240)	SR0320 (P320)	SR0400 (P400)
SR0500 (P500)	SR0600 (P600)	SR0800 (P800)	SR1000 (P1000)

- Sandpaper on a roll with a foam surface
- For manual sanding of difficult, profiled surfaces
- Stearate coating prevents clogging of the sandpaper
- Easily adapts to round, convex or concave shapes
- The foam base ensures an even pressure distribution, which reduces the risk of sanding through
- Half open grain distribution





## Triflex foam sanding discs

TFS3000

Gerko triflex foam sanding discs  
Ø75 (P3000) 15 pcs.

TFS5000

Gerko triflex foam sanding discs  
Ø75 (P5000) 15 pcs.

TFB3000

Gerko triflex foam sanding discs  
Ø150 (P3000) 15 pcs.

TFB5000

Gerko triflex foam sanding discs  
Ø150 (P5000) 15 pcs.

- Sanding discs consisting of identical, evenly distributed pyramids over a foam carrier, in which several layers of a sanding mineral are processed
- Due to the constant sanding, a particularly even surface with a perfect finish without recurring scratches is achieved
- Your work is carried out with maximum speed, efficiency, quality and precision
- Ideal for removing sanding scratches
- The ideal base for polishing
- Longer service life
- Time saving



## Control powder

CP150

150 gr.

- Control powder with applicator
- Abrasion control for use on putty or primer surfaces
- Rapid detection of imperfections
- Tool for regaining original contours
- No drying time
- Contains 150 gr. powder



## Scuff roll

SB01

Red / extrafine  
(P360)

SB02

Grey / ultrafine  
(P1500)

SB03

Gold / microfine  
(P2000)

- Ideal for matting surfaces for the next coat of paint
- Can be used both wet and dry
- Retains its effectiveness due to its three-dimensional fiber structure
- Suitable for use on both painted and unpainted surfaces
- 115 mm x 10 m roll





## Sanding pad

BP150


- Ø150 mm sanding machine pad with 15 holes
- Medium hardness
- Removes a lot of dust and thus prevents the sanding disc from getting clogged
- Including the necessary washers and various bolts



## Soft interface pad

IP10

- Ø150 mm - 10 mm thickness
- Ideally suited to combine with finer sandpaper
- The foam adapts perfectly to curves and contours
- High performance and quality





## Pneumatic sanding machine

SM05

- Pneumatic sanding machine Ø150 mm - deviation 5 mm
- Premium quality
- Very low noise level
- Perfectly balanced centre of gravity
- Vibration-free
- Delivered with sanding pad: diameter Ø150 mm, bottom velcro, 15 holes
- Very light
- Built-in option to work with or without dust extraction



## Electric sanding machine

ESM05

- Electric sanding machine Ø150 mm - deviation 5 mm
- Easy and fast sanding with a minimum of noise are just a few advantages of electric sanding
- Powerful performance (350W)
- Suitable for sanding hard-to-reach areas due to its compact shape
- Lightweight sander 1 kg
- Sander without transformer
- Standard 5 m cable
- Carbon-free engine
- With soft start function
- Energy saving
- Constant speed, even under heavy loads
- Cascading speed control





# PAIN T P R E P A R A T I

# PAINT PREPARATION

- 28 Mixing cups
- 28 Lids for mixing cups
- 29 Mixing cup dispenser set
- 30 Spray guns
- 32 Pressure regulator for Gerko spray gun
- 32 Gravity cup
- 32 Spray gun cleaning kit
- 33 Available needles
- 34 Degreasing cloths
- 34 Pressure sprayer / Assortment coding caps
- 35 Degreasers
- 36 Nylon paint strainers
- 37 Touch up bottles
- 38 Tack rags
- 38 Mixing paddles



## Mixing cups

GMX0385 385 ml 200 pcs.	GMX0750 750 ml 200 pcs.	GMX1400 1400 ml 200 pcs.	GMX2300 2300 ml 100 pcs.
-------------------------------	-------------------------------	--------------------------------	--------------------------------

- Available in 385 ml, 750 ml, 1400 ml and 2300 ml
- 10 different mixing ratios
- Base feet protecting against cold transfer during mixing
- Stackable to save space



## Lids for mixing cups

GML0385 385 ml 200 pcs.	GML0750 750 ml 200 pcs.	GML1400 1400 ml 200 pcs.	GML2300 2300 ml 100 pcs.
-------------------------------	-------------------------------	--------------------------------	--------------------------------

- To cover the mixing cups and protect paint against dirt and dust
- Easy application



## Mixing cup dispenserset

### MXSET

- Mixing cup dispenserset made of durable metal for Gerko mixing cups
- The mixing cups are easily dispensed one at a time, keeping them clean and free from dust
- Set of 4 sizes (385 ml, 750 ml, 1400 ml and 2300 ml)





## Smart performance spray gun

SPSG-0.8  
Spray gun HVLP  
0.8 nozzle kit

SPSG-1.0  
Spray gun HVLP  
1.0 nozzle kit

SPSG-1.2  
Spray gun HVLP  
1.2 nozzle kit

MKSPSG  
Maintenance kit

PCSPSG  
Pattern control  
assembly

ACSPSG  
Air control assembly

- Developed for more compact spraying and spraying small objects
- Good ergonomics and balance of the spray gun
- HVLP technology
- Lightweight anodized aluminum handle with ergonomic grip
- Parts made from 100% stainless steel
- No rubber parts
- Fine atomization and adjustable spray pattern
- Available with 0.8 mm, 1.0 mm, 1.2 mm needle set
- Nozzle sets 0.8 mm, 1.0 mm, 1.2 mm also available separately
- Including 100 ml top cup
- Air consumption: 200 L/min, 7.1 CFM
- Required spray pressure: 1.5 bar/22 psi



## Performance pro spray gun

PSG-1.3  
Spray gun HVLP  
1.3 nozzle kit

PSG-1.4  
Spray gun HVLP  
1.4 nozzle kit

PSG-1.6  
Spray gun HVLP  
1.6 nozzle kit

PSG-1.8  
Spray gun HVLP  
1.8 nozzle kit

PSG-2.0  
Spray gun HVLP  
2.0 nozzle kit

PSG-2.5  
Spray gun HVLP  
2.5 nozzle kit

MKPSG  
Maintenance kit

PCPSG  
Pattern control  
assembly

ACPSG  
Air control assembly

- Good ergonomics and balance of the spray gun
- HVLP technology
- Lightweight anodized aluminum handle with ergonomic grip
- Parts made from 100% stainless steel
- No rubber parts
- Fine atomization and adjustable spray pattern
- Available with 1.3 mm, 1.4 mm, 1.6 mm, 1.8 mm, 2.0 mm, 2.5 mm needle set
- Nozzle sets 1.3 mm, 1.4 mm, 1.6 mm, 1.8 mm, 2.0 mm, 2.5 mm also available separately
- Including 600 ml top cup
- Air consumption: 400 L/min, 14.1 CFM
- Required spray pressure: 2 bar/29 psi



## Elite1 spray gun

E1SG-1.2  
Spray gun HVLP  
1.2 nozzle kit

E1SG-1.3  
Spray gun HVLP  
1.3 nozzle kit

E1SG-1.4  
Spray gun HVLP  
1.4 nozzle kit

MKE1SG  
Maintenance kit

PCE1SG  
Pattern control  
assembly

ACE1SG  
Air control assembly

- Top quality spray gun
- Good ergonomics and balance of the spray gun
- HVLP+ technology
- Fast and easy application
- Lightweight anodized aluminum handle with ergonomic grip
- Parts made from 100% stainless steel
- No rubber parts
- Consistent spray pattern
- High efficiency
- Available with 1.2 mm, 1.3 mm, 1.4 mm nozzle
- Nozzle sets 1.2 mm, 1.3 mm, 1.4 mm, 1.6 mm, 1.8 mm, also available separately
- Including 600 ml top cup
- Air consumption: 400 L/min, 14.1 CFM
- Required spray pressure: 1.6/2.0 bar/29 psi



## Pressure regulator for Gerko spray gun

PRSG

- Pressure regulator for Gerko spray guns



## Gravity cup

C100  
100 ml for smart  
performance  
spray gun

C600  
600 ml

C600UV  
600 ml UV

- Loose top cup for Gerko spray guns
- 100 ml or 600 ml cup
- Equipped with a lid to seal it airtight



## Spray gun cleaning kit

SGCK23

- Ideal for cleaning the paint channel, inner head, needle and air cap of the spray gun
- A reusable box with 22 items including brushes and various small accessories for perfect cleaning of all types of spray guns





## Available needles

DESCRIPTION	0.8 mm	1.0 mm	1.2 mm	1.3 mm	1.4 mm	1.6 mm	1.8 mm	2.0 mm	2.5 mm
HVLP for smart performance spray gun	✓	✓	✓	-	-	-	-	-	-
HVLP for performance pro spray gun	-	-	-	✓	✓	✓	✓	✓	✓
HVLP for elite1 spray gun	-	-	✓	✓	✓	✓	✓	-	-



## Degreasing cloths

OD10  
42 x 30 cm  
200 pcs.

- Degreasing cloths with a high absorption capacity
- Suitable for waterbased and solventbased degreasers
- Lint-free and silicone-free



## Pressure sprayer / Assortment coding caps

HV10  
1 litre

CC05  
5 pcs.

- Pressure sprayer for spraying all kinds of liquids such as degreasers and cleaners
- Set of 5 coding caps including 2 colour identification charts (art. CC05)



## Waterbased degreaser



WD05  
5 litre

WD25  
25 litre

- Antistatic effect on the surface
- Does not affect an underlying layer of paint
- Can be applied without a mask
- Leaves no traces
- Eco friendly, biodegradable
- Universal product for the preparation of sanding, spraying and cleaning
- Removes salt and soap residues
- No damage to plastic rubbers
- To be used with Gerko degreasing cloths



## Solventbased degreaser

OS05  
5 litre

OS25  
25 litre

- Powerful degreaser
- Not aggressive for sensitive paint surfaces
- Cleans the surface and removes all silicones





## Nylon paint strainers - blue

VF125  
125 microns - extra fine  
4 x 250 pcs.

- Paint strainers are suitable for use in combination with solventbased and waterbased paints
- Highest quality nylon strainer
- Equipped with a perfect nylon grid



## Nylon paint strainers - red

VF190  
190 microns - fine  
4 x 250 pcs.

- Paint strainers are suitable for use in combination with solventbased and waterbased paints
- Highest quality nylon strainer
- Equipped with a perfect nylon grid



## Nylon paint strainers - green

VF280  
280 microns - coarse  
4 x 250 pcs.

- Paint strainers especially for high solid materials or primers
- Highest quality nylon strainer
- Equipped with a perfect nylon grid





## Touch up bottle + pen

TUP20  
20 ml  
100 pcs.

- Ideal for simple and quick repairs of damaged lacquer layers due to, for example, stone chips
- Fine needle tip with a good sealable cap for small, minor damage
- Soft brush in closable cap for larger repairs
- Transparent and soft plastic bottle for precise dosing
- The supplied sealing needle ensures that the paint can not dry out in the metal point of application
- Use both vertically and horizontally
- 20 ml content of auto paint
- Equipped with a stainless steel ball



## Touch up bottle

TUB20  
20 ml  
100 pcs.

- Plastic bottle of 20 ml with a lid with integrated brush, to touch up car paint
- Supplied with a metal mixing bullet which makes this bottle suitable for waterbased paints and solventbased paints
- Self-adhesive labels to record information
- Equipped with a small funnel to make pouring easier
- Transparent



## Touch up bottle

TUB50  
50 ml  
60 pcs.

- Plastic bottles from 50 ml including a lid with integrated brush, to touch up car paint
- Supplied with a plastic mixing bullet which makes this bottle suitable for waterbased paints and solventbased paints
- Self-adhesive labels to record information
- Semi-transparent





## Tack rags

TR50  
80 x 90 cm  
50 pcs.

- High quality, large textured cotton cloth with superior dust holding capacity
- The cotton wipe is specially designed to collect and remove loose contamination such as dust, dirt, hair and lint from surfaces
- The tack rag is recommended for large dust particles but also eliminates the smallest dust particles in an instant
- For pre-paint wiping of all surfaces
- Works antistatic
- Never leaves traces of glue that could possibly cause a reaction with any paint



## Waterbased tack cloths

TCW20  
43 x 31 cm  
20 pcs.

- Waterbased tack cloth made of polyester and viscose
- Impregnated with a waterbased product
- Environmentally friendly and odorless
- Antistatic effect
- Extremely suitable for waterbased paints
- With perforated structure which ensures an even better accumulation of dirt
- Suitable for small, medium and large dust particles
- Low stickiness
- Leaves no adhesive residue or residue
- Packed per 20 pcs.



## Mixing paddles

MP20  
20 cm  
500 pcs.

- Plastic paddle made from recycled synthetic material
- Easier stirring and better mixing due to the curved shape and holes





ARTIST & CRAFTSIVE



**GERKO**  
PAINT RELATED PRODUCTS

**BRUSHABLE SEAM SEALER**  
1 KG

Brushable Seam Sealer  
Stijlkit  
Mastic d'Étanchéité à la Brosse  
Streichbare Dichtmasse

**GERKO**  
PAINT RELATED PRODUCTS

**PLASTIC REPAIR**  
MEDIUM - 50 ML

Plastic Repair  
Kunststoffreparatur  
Réparation plastique  
Kunststoffreparatur

1.5 min.  
10 min.

PI 16824/B  
EXP: 08-12-2022

**GERKO**  
PAINT RELATED PRODUCTS

**PLASTIC REPAIR**  
FAST - 50 ML

Plastic Repair  
Kunststoffreparatur  
Réparation plastique  
Kunststoffreparatur

EXP: 18-11-2022

**GERKO**  
PAINT RELATED PRODUCTS

**METAL BOND**  
MMA 50 ML

**GERKO**  
PAINT RELATED PRODUCTS

**SCREENBOND**


**GERKO**  
PAINT RELATED PRODUCTS

**PANEL BONDING ADHESIVE**  
EPOXY

# GLUES & ADHESIVES



- 42 Plastic repair
- 43 MMA
- 43 Panel bonding adhesive
- 44 Brushable seam sealer
- 44 Seam sealer MS polymer
- 45 Screenbond MS polymer
- 46 Ridged eraser pad
- 46 2-component adhesives gun
- 46 Mixer tips



# Plastic repair

PR01 Fast / 30 sec. Black 50 ml	PR02 Medium / 90 sec. Black 50 ml	PR03 Medium / 90 sec. Black 25 ml
---------------------------------------	---	---

- Very high initial strength
- Excellent adhesion
- Very fast drying
- Perfectly sandable and paintable



## MMA

MB50  
50 ml

- Does not attack surfaces
- Room temperature cured with short open time
- Over paintable
- Very good UV resistance and excellent ageing properties
- Gap filling up to 5 mm
- Non sagging thixotropic formulation, perfect for horizontal and vertical applications
- Excellent impact, peel and shear strength



## Panel bonding adhesive

PBA195  
195 ml

- Room temperature curing, heat acceleration possible
- Long open time of 60 minutes, handling within 4 hours @23°C, full cure in 24 hours
- Bond line thickness is controlled by 0,25 mm glass beads
- Withstands automotive e-coat, powder prime, and paint oven temperatures up to 230°C
- Spot weldable (uncured!)
- Excellent corrosion protection
- High energy absorption and very good crash performance



## Brushable seam sealer

BSS10  
1 kg

- Designed for sealing welded joints, pressure welds and metal soldered joints
- Forms a durable and elastic seal that ensures resistance to water, petrol, oils and high temperatures (to 60°C)
- Drip-free
- Displays original structure
- Very strong adhesion
- Very easy to brush



## Seam sealer MS polymer

SS10  
White 290 ml

SS20  
Grey 290 ml

SS30  
Black 290 ml

- Durable, permanent elastic
- Universal bonding-, sealing- and assembling sealant, inside and outside for building- and industry constructions
- Paintable with waterbased paints, alkyd resin paint can cause curing inhibition of the paint (test in advance)
- No fouling on natural stone
- Fast curing, wet on wet applicable
- Free of isocyanates, phtalat, solvents and silicone (shrinkage nil)
- Resistant to UV radiation, weather, water, moist and mould
- Very good adhesion on several substrates even damp surfaces
- Neutral curing, almost odourless
- Non-corrosive to metals
- High mechanical resistant, strength and E-modulus
- Absorb acoustical and mechanical vibrations
- Non bubbling, sandable and grindable after complete curing through



## Screenbond MS polymer

SCB10  
Black 290 ml

- Very high initial strength, the window does not sag
- Good resistance to sagging
- Good torsional rigidity contributes to the rigidity of the bodywork
- Excellent adhesion to old window bond, glass and ceramic walls, without using a primer
- Easy to use, with no by-products
- Free of solvents, isocyanate and silicone
- Long shelf life after opening
- Easy to remove from the hands
- Good UV-resistance





## Ridged eraser pad

REP100  
Ø100 - 25 mm

- Delivered with adapter
- Removes without damaging the surface
- Recommended speed between 2,000 and 4,000 rpm
- Due to the ridge the paint doesn't heat up which results in no paint damage
- Works 3x faster than traditional eraser pad
- There is no need to use chemicals that can damage the paint



## 2-component adhesives gun

SPR50

- Suited for 2-component adhesives
- Compact and lightweight



## Mixer tips

MT50  
10 pcs.

- Mixer tips for 2-component adhesives glue
- Packed by 10 pcs.









# PUTTIES

- 51 Multiformer putty
- 51 Easygo putty
- 52 Uniflex putty
- 52 Polycream putty
- 53 Faser putty
- 53 Spray putty
- 54 UV putty
- 54 Dispenser for UV putty
- 55 Mixing board
- 55 Plastic spreaders
- 55 Rubber spreaders
- 55 Tube hardener for putty

# Putties



CODE	DESCRIPTION	COLOUR	APPLICATION	SUBSTRATE	SPECIFIC WEIGHT	PRODUCT MIX	SANDING 20°C	PIECES / BOX
MF10 MF30	Multiformer putty	Light blue	Filling or finishing filler	Steel, galvanized steel, aluminum, polyester laminates, old paint, wood	1,5 kg	2 - 3%	20 min	6 / 4
EG10 EG30	Easygo putty	Light grey	Lightweight polyester putty	Steel, E-coat, galvanized steel, glass fiber reinforced plastics (GRP) and wood	1,3 kg	2 - 3%	20 min	6 / 4
UF20	Uniflex putty	Black	Plastic repair	Plastic, old painted surfaces, steel, light metals, galvanized steel, aluminum, wood and MDF	2 kg	2 - 3%	20 min	6
PC20	Polycream	Beige	Allround polyester putty	Steel, galvanized steel, aluminum, polyester laminates, old paint, wood	1,8 kg	2 - 3%	20 min	6
FP18	Faser putty	Green	Polyester applications and repairs	Steel, aluminum, glass fiber	1,73 kg	2 - 3%	20 min	6
SP12	Spray putty	Grey	Pneumatic spraying applications	Steel, aluminum, polyester putties, primer, polyester laminates, old paint layers, wood, plastic (except PP, PE and PFTE)	1,2 kg	3 - 4%	60 min	6
UVP14	UV putty	Colourless	Stains and smart repair	Steel, aluminum, glass fiber, galvanized, hard plastic	1,75 kg	Not necessary	/	12



## Multiformer putty (Soft)

MF10 1 litre	MF30 3 litre
-----------------	-----------------

- Universal polyester putty with lower specific weight 1,6 kg/L
- Colour change to aid timing of the start of the sanding process
- Can be used as filling and fine putty
- Excellent sanding, beginning with P120
- Adhesion to various substrates (steel, galvanized steel, aluminium, polyester laminates, old paint, ...)
- Extra creamy for easy mixing & application
- Very easy to spread
- Non-porous, smooth surface
- Colour: light blue
- Hardener: BPO red
- Mixing ratio in %: 2-3



## Easygo putty (Light)

EG10 1 litre	EG30 3 litre
-----------------	-----------------

- Universal light polyester filler
- Extreme adhesion on metal surfaces
- Colour change to facilitate timing of the start of the sanding process
- With glass balls as filling material
- Low shrink ratio
- Extreme adhesion to various surfaces such as steel, E-coat, galvanized steel, glass fiber reinforced plastics (FRP) and wood
- Combines excellent sanding properties with an absolutely compact surface
- Vibration resistant and more flexible on thin metal
- High stability in the can
- Easy to sand
- Short drying time
- Specific weight 1,3 kg/L
- Colour: light grey
- Hardener: BPO red
- Mixing ratio in %: 2-3





## Uniflex putty

UF20  
2 kg

- Putty specially designed for plastic surfaces
- Universal black putty
- High flexibility
- Smooth finishing
- Easy sanding
- Built-in sanding guide: during sanding the putty fades from black to grey
- Universal adhesion on old painted surfaces, steel, light metals, galvanized steel, aluminium, wood and MDF
- Perfect for finishing plastic repairs
- Colour: black
- Hardener: BPO red
- Mixing ratio in %: 2-3



## Polycream putty (Multi)

PC20  
2 kg

- Universal 2K polyester putty
- Maximum stability on vertical surfaces
- Excellent adhesion to galvanized and electro zinc coated metals, steel surfaces and aluminium
- Very easy to spread
- Non-porous, smooth surface
- Excellent sanding
- High filling power
- Fine grain composition
- No cracking on the edges by fine sanding
- Can be finished afterwards with multiformer putty or directly with primer or filler
- Colour: beige
- Hardener: BPO red
- Mixing ratio in %: 2-3





## Faser putty

FP18  
1,8 kg

- Universal polyester putty with glass fibers to fill up larger surfaces and bigger irregularities
- Impregnated fibers for easy and equal spreading and finishing
- Perfect for polyester applications and repairs
- High mechanical strength while maintaining good flexibility
- For bridging of cracks, small holes and rusted-through areas
- Excellent sanding, beginning with P120
- Waterproof; ideal for boat & marine repairs
- Good adhesion on glass fiber reinforced materials
- High stability
- Colour: green
- Hardener: BPO red
- Mixing ratio in %: 2-3



## Spray putty

SP12  
1,2 kg

- Used for filling smaller and larger uneven areas
- Creates a smooth coating, even on large surfaces
- Excellent adhesion on different surfaces
- Dries up rapidly and produces a pore-free surface
- High filling capability
- Is easy to sand






## UV putty

UVP14  
1,4 kg

- 1K putty ready to use, very fast drying with UV rays
- The complete process is drastically reduced in terms of time
- High productivity
- Perfect for spot & smart repair
- No sagging or shrinking after curing
- Can be used on most metal surfaces
- Dries in 3 - 4 minutes, depending on layer thickness
- Easy to use with portable dispenser
- No mixing needed
- Easy to apply
- No air encapsulation from mixing
- Unlimited pot life
- Clean the surface before the putty application
- Can be sanded immediately after drying
- Easy to sand
- Exceptional filling power
- Good flexibility



## Dispenser for UV putty

DUV15

- Portable manual putty dispenser for using with Gerko UV putty
- Extremely practical and light
- Net weight 0,7 kg



## Mixing board

MB100  
100 sheets

- For manual putty mixing
- No cleaning necessary
- Rip off the first page after use and it is ready for the next job
- Made of non-absorbing treated paper



## Plastic spreaders

PS50  
50 pcs.

- Plastic spreaders made of flexible, solvent resistant material
- For single use
- Dimensions: 116 mm x 78 mm



## Rubber spreaders

PMR20  
20 pcs.

- Very flexible rubber spreaders for a softer finish
- Adapts very well to special shapes
- Dimensions: 100 mm x 70 mm



## Tube hardener for putty

HFP50  
Red / 50 gr.

- Tube hardener for putty
- Maximum use of 3%





# PAINTING



# PAINTING

- 58 UV primer filler
- 58 UV thinner
- 58 2K HS primer filler GP400
- 59 Acrylic thinner
- 59 Clear coat HS GC400
- 60 Paint system
- 61 UV paint system 600 ml
- 61 Paint system 800 ml
- 62 Adapters for paint system
- 63 Dispensers for paint system
- 64 Primer
- 66 High gloss black
- 66 Semi gloss black
- 66 Matt black
- 67 Clear coat 1K
- 67 Wheel spray
- 68 Prefill solvent
- 69 Anti-gravel

## UV primer filler

UVPF10  
1 litre

- Dries with UV light (UV LED lamps, Mercury vapour lamps or exposure to sunlight)
- For temperature sensitive parts (electric cars, plastic parts, ...)
- Easy to sand
- Fast drying
- High filling power
- Unlimited potlife
- Smooth surface: superb topcoat appearance
- No sagging
- Direct to metal application, adhesion to steel, iron, galvanized and aluminium substrates
- Possible to apply on plastic parts



## UV thinner

UVT10  
1 litre

- Specially formulated to achieve high viscosity reductions
- Promotes better flow and prevents blisters
- Ensures a perfect base and topcoat



## 2K HS primer filler GP400

PFW10  
White / GP400 - 1 litre

PFW40  
White / GP400 - 4 litre

PFG10  
Grey / GP400 - 1 litre

PFG40  
Grey / GP400 - 4 litre

PFB10  
Black / GP400 - 1 litre

PFB40  
Black / GP400 - 4 litre

HPF025 - hardener  
Normal / GP100 - 250 ml

HPF026 - hardener  
Fast / GP100 - 250 ml

HPF10 - hardener  
Normal / GP100 - 1 litre

HPF20 - hardener  
Fast / GP100 - 1 litre

- Very high solids content
- Fast drying
- Easy sanding
- Reduced sanding dust
- Short refinishing times
- Can also be used wet on wet





## Acrylic thinner

AV05 5 litre	AV25 25 litre
-----------------	------------------

- Gerko acrylate thinner is a versatile paint thinner based on oxygenated and aromatic hydrocarbons



## Clear coat HS GC400

CC50 GC400 - 5 litre	HC25 - hardener Normal / GC100 - 2,5 litre	HC26 - hardener Fast / GC100 - 2,5 litre
CC10 GC400 - 1 litre	HC05 - hardener Normal / GC100 - 0,5 litre	HC06 - hardener Fast / GC100 - 0,5 litre

- Easy application
- Available in combination with normal and fast hardener
- Good chemical, mechanical and weather resistance
- Excellent flow properties
- Brilliant gloss
- High scratch resistance
- UV consistent (free of yellowing)
- High hardness



## Paint system 180 ml

GPS125180 125 µm 180 ml - 50 sets	PSB180 Out cup 180 ml
---	-----------------------------

- Available in 125 microns
- Suitable for solventbased and waterbased paints
- With caps to preserve your paint if necessary
- Including outer cup (also available separately)

## Paint system 400 ml

GPS125400 125 µm 400 ml - 50 sets	PSB400 Out cup 400 ml
---	-----------------------------

- Available in 125 microns
- Suitable for solventbased and waterbased paints
- With caps to preserve your paint if necessary
- Including outer cup (also available separately)

## Paint system 600 ml

GPS125600 125 µm 600 ml - 50 sets	GPS190600 190 µm 600 ml - 50 sets	PSB600 Out cup 600 ml
---	---	-----------------------------

GPS125600L  
Lid  
600 ml - 100 pcs.

- Available in 125 en 190 microns
- Suitable for solventbased and waterbased paints
- With caps to preserve your paint if necessary
- Including outer cup (out cup and lid also available separately)



## UV paint system 600 ml

GPS190600UV	PSB600
190 µm	Out cup
600 ml - 50 sets	600 ml

- Available in 190 microns
- Suitable for solventbased and waterbased paints
- With caps to preserve your paint if necessary
- Including outer cup (also available separately)



## Paint system 800 ml

GPS125800	PSB800
125 µm	Out cup
800 ml - 50 sets	800 ml

- Available in 125 microns
- Suitable for solventbased and waterbased paints
- With caps to preserve your paint if necessary
- Including outer cup (also available separately)





# Adapters for paint system

AD10	AD20	AD30	AD40
AD50	AD60	AD70	AD80

AD10	Adapter 1/4	quick adaptor
AD20	Adapter M12	external thread
AD30	Adapter 3/8	external thread
AD40	Adapter M16	internal thread
AD50	Adapter 1/4	external thread
AD60	Adapter M12 x 1	external thread
AD70	Adapter M16	external thread
AD80	Adapter M14 x 1	internal thread



BRAND	MODEL	CODE
ADIR	GRAVITY SERIES	AD40
ACCUSPRAY	PERFORMAX 05-100 PRIMER	AD70
ADVANTAGE	90115	AD40
AES	150	AD40
AIRGUNSA	AZ3 HTE 2	AD10
AIRVERTER	GG-100	AD40
	CT-100 MINI	AD80
AMPRO	AR6025	AD40
	AR6029 MINI	AD80
ANI	F1-S	AD30
ASTRO	GF65 MINI	AD80
	6GFS MINI HVLP	AD80
	4020 MINI	AD80
	STAR QULM-STAR	AD40
	EVO 4014/4018	AD40
	ECCO-S/SX	AD40
	QUANTUM ULTRA	AD40
ASTURO	ECCO-S/SX	AD40
ASTUROMEC	9011 SERIES	AD60
ATD	GRAVITY SERIES	AD40
	6900 SERIES	AD40
	LEONARDO 6865/6872/6913/6914/6915/6918	AD70
	6845/6900 MINI SERIES	AD80
BINKS	M1-G	AD30
	MG1.8 PRIMER	AD30
	630/95G	AD30
	BBR/M1-G	AD30
C.A. TECHNOLOGIES	JAGUAR J100H/SLP/100C/300C	AD40
	TECHLINE T3	AD40
	TECHLINE TJR	AD80
CAMPBELL HAUSFELD	DH-6500/7800/7900	AD40
CAPSPRAY	3100 GRAVITY SERIES	AD40
	MINI	AD80
CARQUEST	PROVALUE 2304-PV/2305-PV	AD40

BRAND	MODEL	CODE
CENTRAL PNEUMATIC	GRAVITY SERIES	AD40
	PROFESSIONAL MINI	AD60
	MINI	AD80
CORNWELL	PSG-1400	AD40
	PSG-1200 MINI	AD80
CRAFTSMAN	9-15531	AD40
DART PRODUCTS	AB17G	AD40
	H827A/H881A	AD40
	H2000MG MINI	AD60
DEFYNIK	GRAVITY SERIES	AD20
DEVILBISS	FINISHLINE FLG-653G	AD30
	GFHV-510	AD30
	GTI 600G/625G WATERBORNE	AD30
	GTI MILLENNIUM 620G/2000	AD30
	GTI PRO BASE/CLEAR/DIGITAL	AD30
	GTIW WATERBORNE	AD30
	PRI 601G PRIMER	AD30
	TEKNA PROLITE/QUICKCLEAN/COPPER	AD30
	CVI 522G/620G/620GW	AD30
	DRD/EXL620G	AD30
	FLG 4 GRAVITY	AD30
	FLG 615/635/643/645/647WB/648/651G/654/691/695	AD30
	6FG 5/516/517/618/670PLUS	AD30
	GTI FAMILY/DV1	AD30
	JGA 535G/635G	AD30
	PRI/TEKNA	AD30
	COMPACT 506/510 GRAVITY	AD30
	LT200/LT300	AD40
DURA-BLOCK	AF900K	AD40
	007 EXTREME PERFORMANCE	AD40
	MINI	AD80
DUX	GRAVITY SERIES	AD20
ECCO	652-S	AD30
EVERCRAFT (NAPA)	BK7703758	AD40


BRAND	MODEL	CODE
FUJI	5175G T75 SERIES HVLP	AD40
GERKO	PERFORMANCE PRO	AD40
	ELITE1	AD40
	SMART PERFORMANCE	AD80
GONI	321	AD40
GRACO	DELTA GF	AD30
	LT100 MINI	AD60
GRIP	H827W	AD40
	MINI	AD80
GRIZZLY	H7669	AD40
HUSKY	HDS-780/790/890 PRO	AD40
INGERSOL RAND	210G/270G	AD40
	200G	AD80
IWATA	W400/W400LV/WR400	AD40
	LPA94/LPH440	AD40
	LPH400 PRIMER	AD40
	LPH400LV/LVB/LVX	AD40
	VX929/VXL949 PRIMER	AD40
	SUPERNOVA LS400/SUPERNOVA WS400	AD50
	AZ3 HTE 2	AD50
JONNESWAY	JA-6111	AD40
KOBALT (LOWE'S)	KC-566CG/577HG	AD40
	SGY-AIR86/AIR88	AD40
KRAUTZBERGER	MIGNON 3	AD20
MAC	SG1250/SG1300 SERIES	AD40
	ECONOCOAT	AD40
	SG610K	AD30
	SG1100-10 MINI	AD80
MARK I	AF7003	AD40
	AF7002 MINI	AD80
MATCO	GRAVITY SERIES	AD40
	MTDPGHV1/MTDPGHV8 DETAIL GUN	AD80
	RL-75 MINI	AD80
	MTPGHE 13/15	AD70
MAX AIR	W98	AD40
MOUNTAIN	STAR MINI	AD80
MSB	GRAVITY SERIES	AD40
M-STAR	GRAVITY SERIES	AD40
NAPA (EVERCRAFT)	#BK7703758	AD40
NESSCO	840/868/870	AD40
	880	AD70
	808 MINI	AD80
NIKOTA	HVLP-G	AD40
PORTER-CABLE	PSH-1/3	AD40
	PSH2 MINI	AD80
PRO-TEK	2600	AD40
	4000GH	AD40
	764X	AD40
	2500/2550 MINI	AD80
PROVALUE (CARQUEST)	2304/2305-PV	AD40

BRAND	MODEL	CODE
SAGOLA	403G/433G/434G/444G/450G	AD30
	3300G/4100G/4200G	AD40
	MINI EXTREME	AD40
	CLASSIC PRO	AD40
SATA	MINIJET 4400 B HVLP QCC/4400 B RP QCC	AD10
	JET B	AD40
	JET B NR-92/NR-95	AD40
	QCC FAMILY	AD10
	KL-PRIMER	AD30
	MCB-93	AD30
	KLC-B/P/RP	AD40
	LM-92	AD40
	LM2000B/LM2000K	AD40
	MCB PRIMER/90	AD40
	JET90	AD40
	JET90-2 RP/HVLP	AD40
	NR2000 RP/HVLP	AD40
SATAJET	100 BF HVLP QCC/RP QCC	AD10
	100 BP QCC	AD10
	2000/3000 HVLP QCC	AD10
	2000/3000/4000 RP QCC	AD10
	1000/3000/4000 B HVLP QCC	AD10
	1000/3000 B RP QCC	AD10
SEM	71001 PRO-TEX TRUCK BED LINER GUN	AD30
SHARP	FX200	AD40
	FX300 HVLP	AD40
	COBALT HVLP(EU)	AD30
SHARPE (GRACO)	FX-100 MINI	AD80
SMART (FINISHMASTER)	SPRAY GUN KIT (STD)	AD40
	SPRAY GUN KIT (MINI)	AD80
SNAP-ON	BLUE POINT BF325 MINI	AD40
SPITZNAGEL	W2000A	AD80
SPRAY-IT	522	AD40
STAR	III	AD40
	SV-106T/J MINI	AD80
SUNEX	9002A/9004A	AD40
TITAN	VAPER 1.0MM MINI	AD80
	VAPER 1.4/1.7MM	AD40
TRANSTAR	6613/6614/6617	AD40
	6618 MINI	AD80
TREM PRO	GRAVITY SERIES	AD40
U-POL	MAXIMUM	AD40
	MAXIMUM MINI	AD80
WALCOM	GEO/EGO	AD60
	GENESI	AD70
WARWICK	861-C/863	AD40
	H881W	AD40
	881H/904H	AD40
	827-C/878	AD70
	828-C	AD80
	MINI	AD80

## Dispenser for paint system cups 600 & 800 ml

D600  
600 & 800 ml


- Dosing cups for the Gerko paint system (600 ml and 800 ml)
- The cups can be taken out of the dispenser one by one
- Can be attached to the wall
- Refilling supplies from the side
- Ensures that the Gerko paint system cups are always clean and dust free



## Dispenser for paint system lids

DGPSL

- Dosing lids for the Gerko paint system
- The lids can be taken out of the dispenser one by one
- Can be attached to the wall
- Refilling supplies from above
- Ensures that the Gerko paint system lids are always clean and dust free



## Superior primer 500 ml

SAS010 Light grey 500 ml	SAS030 Dark grey 500 ml	SAS040 White 500 ml
--------------------------------	-------------------------------	---------------------------

- High build primer
- Fast drying hard and flexible primer
- Excellent adhesion
- Easy sandability
- Anti-corrosion properties to the use of zinc phosphate
- Can be applied straight on bare metals
- Petrol resistant
- Can be painted over with most modern paints
- Can be applied on almost all plastics



## Primer 400 ml

AS010 Light grey 400 ml	AS020 Grey 400 ml	AS030 Dark grey 400 ml	AS040 White 400 ml
-------------------------------	-------------------------	------------------------------	--------------------------

- Fast drying hard and flexible primer
- Excellent adhesion
- Easy sandability
- Anti-corrosion properties to the use of zinc phosphate
- Can be applied straight on bare metals
- Petrol resistant
- Can be painted over with most modern paints





## Plastic primer 400 ml

AS050  
400 ml

- Universal applicable
- Effective adhesion promotor
- Fast drying
- Can be painted over after just 10 minutes
- Excellent to build up your repair



## Etch primer 400 ml

AS060  
400 ml

- Outstanding etching properties
- Excellent anti-corrosive properties
- Fast drying and flexible primer
- Can be applied straight on bare metals
- Petrol resistant
- Super smooth finish
- Can be painted over with a wide range of other paints as alkyd, cellulose or epoxy based coatings



## High gloss black 500 ml

AS080  
500 ml

- 100% glossy paint in the colour deep black
- Fast drying
- Excellent adhesion on many surfaces and materials
- Exceptional hiding power
- Smooth finish
- Resistant to chemicals and weather conditions



## Semi gloss black 500 ml

AS090  
500 ml

- 50% glossy paint in the colour deep black
- Fast drying
- Excellent adhesion on many surfaces and materials
- Exceptional hiding power
- Smooth finish
- Resistant to chemicals and weather conditions



## Matt black 500 ml

AS100  
500 ml

- Fast drying
- Excellent adhesion on many surfaces and materials
- Exceptional hiding power
- Smooth finish
- Resistant to chemicals and weather conditions



## Clear coat 1K 500 ml

AS300  
500 ml

- Ultra gloss finish with excellent gloss retention
- Superior build
- Ideal distance to object is 25 cm
- Apply 2 full layers with a flash-off time of 10 minutes for a good result
- UV and petrol resistant 1K lacquer
- Fast drying 1K lacquer



## Wheel spray 400 ml

AS130  
400 ml

- Very fast drying, good adhesion
- Glossy, good flexibility, good hardness
- Excellent UV protection
- Good outdoor durability
- Non yellowing



## Prefill solvent 400 ml

AS210  
400 ml

- Prefilled aerosol replaces the spray gun at small body shops when small parts need to be painted
- Best results are obtained with acrylic based lacquers
- Also suitable for diluting a wide range of alkyd and cellulose based lacquers
- A special filling machine is required
- Not suitable for most waterbased basecoats
- Prefill cans (400 ml) can be filled with up to 100 ml paint



## Prefill solvent no-clean 400 ml

AS220  
400 ml

- Unique formula combined with the spray button provides a professional finish, similar to spraying
- With the patented lid, the aerosol can be filled with lacquer, without any cleaning work being required on the device
- Colour change becomes super easy
- Ideal for minor repairs
- Adjustable spray button





## Anti-gravel 400 ml

AS110  
400 ml

- A tough closed, elastic and structured coating layer
- Excellent rust and gravel protection
- Sound dampening properties reduces noise inside cars
- Quick drying at room temperature or at elevated temperatures up to 60°C
- Can be applied drip-free
- Good adhesion to a wide range of materials especially car underbody
- Can be painted over with any kind of lacquer system



## Anti-gravel 1 litre

AG100  
Black - 1 litre

AG110  
Grey - 1 litre

AG120  
White - 1 litre

- Surfaces: steel, galvanized steel, aluminium, polyester putties, epoxy fillers, 2-component acrylic fillers and plastics







GERKO  
HOT SUPPLY-READY

# CLEANING POLISHING

# CLEANING & POLISHING

- 72 Cleaning paper
- 72 Cleaning cloths
- 72 Polishing cloths
- 73 Thinners
- 73 H2O gun shampoo
- 74 Headlamp restoration kit + refill
- 75 Dust needle set + refill
- 75 Paint touch-up sticks
- 76 Foam pads
- 77 Electric polishing machines
- 77 Polishing pad
- 78 Polishing pastes - foam pads

## Cleaning paper

PB30  
38 x 37 cm  
500 pcs.

PW20  
38 x 28 cm  
1000 pcs.

- Cleaning paper white (2 layers) and cleaning paper blue (3 layers) for all kinds of maintenance
- Lint-free

## Cleaning cloths

RD10  
38 x 32 cm  
500 pcs.

RD20  
42 x 40 cm  
12 packs x 35 pcs.

- Universal cleaning cloth with a large absorption capacity
- Easy to use and soft to the touch
- Suitable for all kinds of applications such as degreasing and cleaning with solventbased products or oil
- Available on rolls or in box

## Polishing cloths

PD10  
32 x 36 cm  
400 pcs.

- Non-woven cloths made to polish any kind of surface without scratching or leaving traces
- Plush-free and free of silicone
- Can also be used for cockpit cleaning
- Available perforated on a roll



## Premium cellulose thinner

PCT24  
24 litre

- Cellulose thinner 100% pure
- Professional cellulose thinner for diluting cellulose paint or removing glue
- Dilution of paint
- Removing glue
- Cleaning guns and tools
- Reduces the chance of orange peel skin



## Thinner cellulosic

CT05  
5 litre

CT10  
10 litre

CT25  
25 litre

- Cellulose thinner used primarily for cleaning spray guns



## H2O gun shampoo



GS20  
20 litre

- Gun shampoo for cleaning your spray guns for waterbased paint
- Coagulation is no longer necessary
- Can be used in combination with all automatic spray gun cleaners or in combination with a manual spray gun cleaner
- Clean gun within 5 minutes after spraying with the H2O gun shampoo



## Headlamp restoration kit

HRK600

- Has a very good effect on car light scratches, yellow oxidized, hazy and other oxidation
- Renews the brightness of damaged headlights
- Easy and quick to apply
- Protects against UV rays
- Applicable on new headlights as a protective layer
- Extends the life of your headlights



- 1. DEGREASE** Clean headlight with Gerko degreaser and dry with Gerko degreasing cloths.
- 2. MASKING** Use masking tape to protect nearby painted surfaces.
- 3. SAND AND CLEAN** Sand with Gerko film discs. Use the following steps: P320/P500/P800/P1000/P1200/P1500. Clean the surface to make sure that the whole headlight is sanded homogeneously.
- 4. ADD POLYMER** Add headlight restoration polymer up to half of the vaporizer and cover with the cap.
- 5. CONNECT + HEAT** Connect the coating cup and heat for about 5 minutes until vapor is coming out of the cap.
- 6. VAPORIZING** Start to vapor 1 cm away from the headlight, apply from bottle to top until the headlight turns bright. Make sure the pipe opening is upward to avoid steam turning into water drops. Keep your face at least 40 cm away from the pipe opening.
- 7. TURN OFF AND COOL** Power off after using. Wait 5 minutes for the polymer to cool down and pour the remaining liquid back into the bottle.

## Headlamp restoration polymer

HRP600  
600 ml

- Refill headlight repair polymer 600 ml



## Dust needle set

### DNS10

- Fabric needle set consisting of a pen holder and 10 dust needles packed in blister
- The dust needles are provided with microscopic brackets. This allows dirt and dust to be removed without damaging the surface
- Easily removes dust particles from wet paint. Due to the surface tension of the lacquer, the microfine cavities are automatically closed



## Refill dust needles

### RDN10 10 pcs.

- Dust needles refill, for removing dust and dirt from wet lacquer
- Individually packed in a blister pack of 10 pieces



## Paint touch-up sticks

### PTUS10

White  
Very fine 1,0 mm  
100 pcs.

### PTUS15

Yellow  
Fine 1,5 mm  
100 pcs.

### PTUS20

Blue  
Regular 2,0 mm  
100 pcs.

- 100 touch-up sticks packed in a handy and dust-free dispenser case
- Ideal for retouching minor paint damage
- Perfect for applying a small amount of basecoat, clear coat or primer for minor repairs
- The tip of the touch-up stick is lint-free and made of non-absorbent fibers
- Can also be used for cleaning or removing dust on very small parts





## Orange foam pad

POL10 Ø150 / 30 mm 2 pcs.	POL50 Ø80 / 25 mm 5 pcs.
---------------------------------	--------------------------------

- For hard jobs
- To touch up small scratches and imperfections in the paint
- Open structure



## Green foam pad

POL20 Ø150 / 30 mm 2 pcs.	POL60 Ø80 / 25 mm 5 pcs.
---------------------------------	--------------------------------


- To polish old paints and areas without gloss
- Can also be used to touch up small scratches and imperfections in the paint
- Open structure



## Yellow foam pad waffled

POL30 Ø150 / 30 mm 2 pcs.	POL70 Ø80 / 25 mm 5 pcs.
---------------------------------	--------------------------------

- For obtaining a high gloss
- With the waffled shape, minimal effort is created for a perfect mirror shine
- Minimal aggressive
- Can be used for gloss optimization



## Black foam pad waffled

POL40 Ø150 / 30 mm 2 pcs.	POL80 Ø80 / 25 mm 5 pcs.
---------------------------------	--------------------------------

- Soft foam pad for removing holograms
- For obtaining a high gloss
- With the waffled shape, minimal effort is created for a perfect mirror shine
- Minimal aggressive
- Can be used for gloss optimization





## Electric polishing machine

CPM10

- Electric polishing machine of 900W
- 5 m cable
- Including backing pad
- With extra carbon brushes
- Light weight  $\pm 3$  kg



## Electric polishing machine

EPM10 - eccentric

- Electric polishing machine with a 21 mm deviation
- 5 m cable
- Including backing pad and extra carbon brushes
- Light weight  $\pm 3$  kg
- 1000 - 3800 rpm



## Polishing pad

PP120  
Ø120 mm - M14

- Universal polishing pad for Gerko polishing machine





## Advanced cut polish - foam pad

POL130  
Cut polish - 1 kg

- Polishes and produces gloss in one step
- Saves time thanks to a one-step polishing process
- High efficiency
- High gloss level
- Silicone-free and solvent-free
- Heavy cut, medium cut and finish in 1 bottle
- Easy clean up
- Waterbased
- Low dust formation

POL90  
Ø150 / 20 mm - 2 pcs.

- Specially developed foam pad to be used with the Gerko advanced cut polishing compound
- Ensures optimal results
- In combination with the advanced cut polishing paste, scratches can be removed very quickly and thus time can be saved



## Anti-hologram polish - foam pad

POL140  
Cut polish - 1 litre

- Perfect to remove holograms and micro-scratches
- High efficiency
- High gloss level
- Silicone-free and solvent-free
- Easy clean up
- Waterbased
- Low dust formation

POL100  
Ø150 / 20 mm - 2 pcs.

- Special developed foam pad for optimal results in combination with the Gerko anti-hologram polishing compound
- Provides an optimal result and perfect shine







# SPRAY BOOTH

- 82 Dust control
- 82 Cabine coating pro
- 83 X-trestle
- 83 Butterfly trestle
- 83 Portal rotating panel stand

## Dust control

DC05  
5 litre

DC10  
10 litre

DC25  
25 litre

- Due to the ionizing effect, upwelling dust is immediately attracted and retained
- Removable with water
- Biodegradable, non-toxic
- User and environmentally friendly
- Saves cleaning time
- Can be used on walls as well as on the floor
- Silicone-free
- Economical in use
- Temperature resistance: 80°C
- Waterbased liquid

## Cabine coating pro

CCP05  
5 litre

CCP25  
25 litre

- Cabine coating pro is a clear aqueous coating for protection against overspray in spraybooths
- It can be applicated to walls, windows and light armatures
- The sticky properties contribute to a dust free surrounding, because airborne particles will be collected and hold
- After 2 - 8 weeks, depending on the amount of contamination, the tacky coating can be easily removed with warm water
- Biodegradable and silicone-free
- Temperature resistance: 65°C



## X-trestle

PS20

- Universal trestle
- Adjustable in different heights
- Including bumper supports



## Butterfly trestle

PS10

- Folding trestle that can be adjusted in height and width by means of 2 chains
- Feet are attached by means of an extra bar
- Premium quality



## Portal rotating panel stand

PS30

- Mobile panel stand with rotating central axis that can be locked under different angles
- Supplied with extensions for the axis so that 2 doors can be fitted
- Strong and easy to move





PERSONAL  
PROTECTIO



# PERSONAL PROTECTION

- 86 Overalls
- 88 Dust masks
- 90 Nitrile gloves
- 91 Hand cleaners
- 91 Dispenser



## Disposable overall

DSC10  
M

DSC20  
L

DSC30  
XL

DSC40  
XXL

- Premium dual material technology provides both protective performance and comfort
- Excellent barrier against dry particles and limited liquid chemical splash (CE Type 5/6)
- Soft and light, super low-linting laminated microporous material
- Back panel made of breathable SMS material for improved air circulation and reduced heat stress
- Two-way zipper with fully sealable flap
- Knitted cuffs and elasticated waist and ankles for increased comfort and freedom of movement
- Antistatic treated
- No linting



## Polyester overall

POW10  
M

POW20  
L

POW30  
XL

POW40  
XXL

- 100% polyester
- Flame retardant
- Blue in colour for minimal reflection in the paint
- Lint-free, silicone-free, antistatic
- Equipped with air ventilation on the armpits for optimal heat regulation
- Equipped with a hood
- Equipped with 2 pockets at the back
- Elastic hood, elastic band around ankles, wrist and waist, two-way zipper with flap
- Washable at 30°C or dry cleaning



## Superior nylon overall

SNC10 S	SNC20 M	SNC30 L	SNC40 XL	SNC50 XXL	SNC60 XXXL
------------	------------	------------	-------------	--------------	---------------

- Very comfortable to wear
- Antistatic coating
- Dust-, silicone- and lint-free
- Durable with concealed zipper
- Protects against overspray
- Tight-fitting neck, sleeve and ankle cuffs
- Breathable and ventilated back ensures efficient heat regulation
- Optimal wearing comfort throughout the working day
- Long lasting
- Washable at 30°C



## Dust mask FFP2 with valve

DM10  
15 pcs.

- Protects the breathing against all kinds of external influences such as dust, etc.
- Equipped with a soft foam on the inside at the height of the nose
- Comfortable wearing comfort
- Equipped with a nose clip
- Easy breathing/speaking
- With exhalation valve
- Suitable for people with glasses, glass fumes not on



## Carbon dust mask FFP2 with valve

DM30  
15 pcs.

- FFP2 dust mask with carbon charcoal filter
- Carbon filter parts provide extra respiratory protection
- Protects the breathing against all kinds of external influences such as dust, etc.
- Equipped with a soft foam on the inside at the height of the nose
- Comfortable wearing comfort
- Equipped with a nose clip
- Easy breathing/speaking
- With exhalation valve
- Suitable for people with glasses, glass fumes not on







## Diamond nitrile gloves

NDG10  
M - 50 pcs.

NDG20  
L - 50 pcs.

NDG30  
XL - 50 pcs.

- Thickness 6 mil (0.15 mm)
- Extremely strong
- Diamond structure for a perfect grip
- Non-slip gloves
- Extremely suitable for mechanical work and spraying
- Extremely suitable for working with paint and solvent
- Latex-free
- Silicone- and powder-free to prevent contamination of the paint



## Black nitrile disposable gloves

NGB10  
M - 100 pcs.

NGB20  
L - 100 pcs.

NGB30  
XL - 100 pcs.

- Thickness 6 mil (0.15 mm)
- Roughened fingertips and palm for a better grip
- Extremely suitable for working with paint and solvent
- Latex-free
- Silicone and powder free to prevent contamination of the paint





## Pro hand cleaner

PHC38  
3,8 litre

PHC03  
300 ml

- Powerful citrus hand cleaner which is especially developed for quick removal of daily soiling
- It's unique product formulation easily removes stubborn soiling like grease, tar, ink, adhesive and paint
- Cleans and moisturises the hands and prevents skin irritation
- Contains natural scrubbing particles



## Superior hand cleaner

SHC38  
3,8 litre

SHC03  
300 ml

- Powerful hand cleaner for removing heavy duty industrial soiling
- It's unique product formulation easily removes stubborn soiling like paints, resins, silicones, adhesives and sealants
- Cleans and moisturises the hands and prevents skin irritation
- Formulated with skin friendly, natural and biodegradable cornmeal scrub



## Dispenser

WH38

- Practical dispenser for Gerko hand cleaner 3,8 litre



# PROMOTIONAL ITEMS

## Roll-up banner 1

RUB01  
100 x 200 cm



## Roll-up banner 2

RUB02  
100 x 200 cm



## Roll-up banner 3

RUB03  
100 x 200 cm



## Rack

REK01  
H 220 cm x W 95 cm x D 53 cm

REK02 - extension module  
H 220 cm x W 95 cm x D 53 cm



## Shirt blue

SHB01 Blue - S	SHB02 Blue - M	SHB03 Blue - L
-------------------	-------------------	-------------------

SHB04 Blue - XL	SHB05 Blue - XXL
--------------------	---------------------



## Shirt white

SHW01 White - S	SHW02 White - M	SHW03 White - L
--------------------	--------------------	--------------------

SHW04 White - XL	SHW05 White - XXL
---------------------	----------------------



## Polo white

PL01 White - S	PL02 White - M	PL03 White - L
-------------------	-------------------	-------------------

PL04 White - XL	PL05 White - XXL
--------------------	---------------------



## T-shirt blue

TS01 Blue - M	TS02 Blue - L	TS03 Blue - XL	TS04 Blue - XXL
------------------	------------------	-------------------	--------------------



## Sweater

SW01 M	SW02 L	SW03 XL	SW04 XXL
-----------	-----------	------------	-------------



## Pen

P01





**GERKO**

PAINT RELATED PRODUCTS



Gerko International | Energieweg 13, 2390 Oostmalle, Belgium | Tel.: +32 (0)3 312 21 30 | [info@gerkoproducts.com](mailto:info@gerkoproducts.com) | [www.gerkoproducts.com](http://www.gerkoproducts.com)

